APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office		
Returned to applicant for correction		
Corrected application filed		
Map filed		

The applicant John C. Serpa, hereby makes application for permission to change the Point of Diversion of water heretofore appropriated under Permit 66235 ***********************************		
1. The source of water is Underground		
2. The amount of water to be changed 0.25 CFS, not to exceed 2 MGA		
3. The water to be used for Recreation and wildlife purposes		
4. The water heretofore permitted for Recreation and wildlife purposes		
5. The water is to be diverted at the following point SW¼ SW¼ Section 26, T.17N., R.19E., M.D.B.&M., or at a point from which the SW corner of said Section 26 bears S. 46 degrees 05'57" W., a distance of 1445.17 feet.		
6. The existing permitted point of diversion is located within SE¼ NE¼, Section 26, T.17N. R.19E., M.D.B.&M., or at a point from which the E¼ corner of said Section 26 bears S. 44 degrees 34'36" E., a distance of 211.78 feet.		
7. Proposed place of use See Attachment "A"		
8. Existing place of use Unchanged		
9. Use will be from January 1 to December 31 of each year.		
10. Use was permitted from January 1 to December 31 of each year.		
11. Description of proposed works Existing drilled artesian well, valve to prevent waste and meter, ditches.		
12. Estimated cost of works \$15,000.00		
13. Estimated time required to construct works One (1) year		
14. Estimated time required to complete the application of water to beneficial use Five (5) years.		
15. Remarks: Use Map (s) filed under Permit 66231 to illustrate the existing and proposed Points of Diversion and Place of Use. This application is being filed to transfer permittee's water rights to a location better suited for development of the Water Right.		
By Gregory M. Bilyeu s/Gregory M. Bilyeu 500 Damonte Ranch Pkwy., Suite 1056 Reno, Nevada 89521 Compared cmf/cac ag/ cmf		

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion of the waters of an underground source as heretofore granted under Permit 66235 is issued subject to the terms and conditions imposed in said Permit 66235 and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 66232, 66233, 69433, 69570 and 69731 shall not exceed 33.03 million gallons annually.

Monthly records shall be kept of the amount of water pumped from this well and the records submitted to the State Engineer on a quarterly basis within 15 days after the end of each calendar quarter.

The flow of water alone from an artesian well will not constitute a recreation and wildlife beneficial use, pursuant to NRS 534.070, and as such a wetlands management plan must be submitted to this office at the time as the proof of completion is submitted.

(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.25 cubic feet per second, or 2.0 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

February 02, 2005

Proof of completion of work shall be filed on or before:

March 02, 2005

Water must be placed to beneficial use on or before:

February 02, 2006

Proof of the application of water to beneficial use shall be filed on or before: March 02, 2006

Map in support of proof of beneficial use shall be filed on or before: March 02, 2006

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 19th day of February, A.D. 2004

State Engineer

Completion of work filed	
Proof of beneficial use filed	
Cultural map filed	
Certificate No.	Issued

ATTACHMENT "A"

7. Proposed Place of Use

All of the following subdivisions lying within T.17N., R.19E., M.D.B. & M.

Portions of the SE 1/4 SE 1/4, Section 23, Portions of the E 1/2 SW 1/4, Section 24, Portions of the NW 1/4 SW 1/4, Section 24, SW 1/4 SW 1/4, Section 24, Portions of the E 1/2 NW 1/4, Section 25, W 1/2 NW 1/4, Section 25, Portions of NW 1/4 SW 1/4, Section 25, Portions of the N 1/2 NE 1/4, Section 26, S 1/2 NE 1/4, Section 26, Portions of the NW 1/4, Section 26, lying east of U.S. 395 Portions of the W 1/2 SW 1/4, Section 26, lying east of U.S. 395 E 1/2 SW 1/4, Section 26, Portions of the SE 1/4, Section 26, lying westerly of the Scripps Wildlife Refuge Portions of the E 1/2 NE 1/4, Section 35, E 1/2 NW 1/4, Section 35, Portions of the W 1/2 NW 1/4, Section 35, lying easterly of U.S. 395, Portions of the W 1/2 SW 1/4, Section 35, E 1/2 SW 1/4, Section 35, Portions of the W 1/2 SE 1/4, Section 35